



Designed to deliver maximum light intensity and long LED life, Continuum™ brings Whelen's advanced Super-LED® technology to off-road applications. Solid-state electronics and hard-coated lenses withstand harsh environments while interchangeable modules and advanced optics give your vehicle the reliable performance and durability Whelen is known for.

FEATURES

- Spot or Flood optic LED modules
- Clear or Smoked lenses
- Hard-coated lenses will not degrade with UV exposure
- IP67 rated for dust and water resistance
- Black powder coated extruded aluminum housing protects the lightbar from environmental damage
- Universal "L" bracket mount standard, other mounting options available
- · Easily serviceable front-load design
- Plug & Play waterproof wiring harness with waterproof relay and switch included
- Five year HDP® Heavy-Duty Professional warranty

Length	Height	Depth	Weight	VDC	LED*	Raw Lumens*	Amps*
11.55" (293mm), 21.80" (554mm), 32.05" (814mm), 42.30" (1074mm), 52.55" (1335mm)	2.00"	3.00"	2.45lbs, 4.25lbs, 6.25lbs, 8.15lbs, 10.00lbs	12	9	2100	2.3


*Per Module





WHELEN







*Actual Inches (Actual Millimeters)





Spot



Flood



Smoked







Continuum™ 10"				
S1S	Spot			
S1F	Flood			
S1SX Spot, Smoked Lens				
S1FX Flood, Smoked Lens				

Continuum 20"					
S2SS	Spot/Spot				
S2FF	Flood/Flood				
S2SF	Spot/Flood				
S2FS	Flood/Spot				
S2SSX	Spot/Spot, Smoked Lenses				
S2FFX	Flood/Flood, Smoked Lenses				
S2SFX	Spot/Flood, Smoked Lenses				
S2FSX Flood/Spot, Smoked Lenses					

Continuum	30"
S3SSS	Spot/Spot/Spot
S3FFF	Flood/Flood
S3SFS	Spot/Flood/Spot
S3FSF	Flood/Spot/Flood
S3SSSX	Spot/Spot/Spot, Smoked Lenses
S3FFFX	Flood/Flood, Smoked Lenses
S3SFSX	Spot/Flood/Spot, Smoked Lenses
S3FSFX	Flood/Spot/Flood, Smoked Lenses

		LS

Continuum 40"				
S4SSSS	Spot/Spot/Spot			
S4FFFF	Flood/Flood/Flood			
S4SFFS	Spot/Flood/Flood/Spot			
S4FSSF	Flood/Spot/Spot/Flood			
S4SSSX	Spot/Spot/Spot/Spot, Smoked Lenses			
S4FFFFX	Flood/Flood/Flood, Smoked Lenses			
S4SFFSX	Spot/Flood/Flood/Spot, Smoked Lenses			
S4FSSFX Flood/Spot/Spot/Flood, Smoked Lenses				

Continuum	50"
S5SSSSS	Spot/Spot/Spot/Spot
S5FFFFF	Flood/Flood/Flood/Flood
S5SSFSS	Spot/Spot/Flood/Spot/Spot
S5SFFFS	Spot/Flood/Flood/Spot
S5SFSFS	Spot/Flood/Spot/Flood/Spot
S5FFSFF	Flood/Flood/Spot/Flood/Flood
S5FSFSF	Flood/Spot/Flood/Spot/Flood
S5FSSSF	Flood/Spot/Spot/Flood
S5SSSSX	Spot/Spot/Spot/Spot, Smoked Lenses
S5FFFFX	Flood/Flood/Flood/Flood, Smoked Lenses
S5SSFSSX	Spot/Spot/Flood/Spot/Spot, Smoked Lenses
S5SFFFSX	Spot/Flood/Flood/Flood/Spot, Smoked Lenses
S5SFSFSX	Spot/Flood/Spot, Smoked Lenses
S5FFSFFX	Flood/Flood/Spot/Flood/Flood, Smoked Lenses
S5FSFSFX	Flood/Spot/Flood/Spot/Flood, Smoked Lenses
S5FSSSFX	Flood/Spot/Spot/Flood, Smoked Lenses






Generic Mo	unts
BKT47097	Universal L Bracket Mtg. Kit - Dual Row
BKT47379	Pipe Mount - 3-1/4"
BKT47378	Pipe Mount - 3"
BKT47377	Pipe Mount - 2-7/8"
BKT47376	Pipe Mount - 2-3/4"
BKT47375	Pipe Mount - 2-5/8"
BKT47374	Pipe Mount - 2-1/2"
BKT47373	Pipe Mount - 2-3/8"
BKT47372	Pipe Mount - 2-1/4"
BKT47371	Pipe Mount - 2"
BKT47370	Pipe Mount - 1-7/8"
BKT47316	Pipe Mount - 1-3/4"
BKT47369	Pipe Mount - 1-45/64"
BKT47368	Pipe Mount - 1-5/8"
BKT47318	Pipe Mount - 1-1/2"
BKT47367	Pipe Mount - 1-1/4"
BKT47366	Pipe Mount - 1-1/8"
BKT47365	Pipe Mount - 1"
BKT47364	Pipe Mount - 7/8"


Vehicle Spe	cific Mounts
BKT47468	Dodge Ram, 2012-2015 Lower Grill Mount, 20" DR & SR Continuum
BKT6G466	Ford F-150, 2015 Lower Grill Mount, 10" DR & SR Continuum
BKT6F789	Ford Super Duty, 2009-2014 Lower Grill Mount, 20" DR & SR Continuum
BKT47585	Toyota Tacoma, 2015 Lower Grill Mount, 30" DR & SR Continuum
BKT47521	Ford Super Duty, 2015 Bumper Mount, 40" DR & (2X) SR Continuum
BKT47264	Jeep JK Hood Mount 10" DR & SR Continuum
BKT47265	Jeep JK Hood Mount 20" DR & SR Continuum
BKT87784	Jeep JK Brow Mount 50" DR & SR Continuum
BKT87785	Jeep TJ Brow Mount 50" DR & SR Continuum

Parts & Ac	cessories
WKSR10	Wiring Kit - Single Row, 10"
WKSR20	Wiring Kit - Single Row, 20"
WKSR30	Wiring Kit - Single Row, 30"
WKSR40	Wiring Kit - Single Row, 40"
WKSR50	Wiring Kit - Single Row, 50"
SRS	Single Row LED 10" Module, Spot, Clear Lens
SRSX	Single Row LED 10" Module, Spot, Smoked Lens
SRF	Single Row LED 10" Module, Flood, Clear Lens
SRFX	Single Row LED 10" Module, Flood, Smoked Lens
SRAS	Single Row LED 10" Amber Module, Spot, Clear Lens
SRASX	Single Row LED 10" Amber Module, Spot, Smoked Lens
SRAF	Single Row LED 10" Amber Module, Flood, Clear Lens
SRAFX	Single Row LED 10" Amber Module, Flood, Smoked Lens
LCSRA	Cover - Single Row, Amber
LCSRC	Cover - Single Row, Clear
LCSRR	Cover - Single Row, Red
LCSRK	Cover - Single Row, Black
LCSRW	Cover - Single Row, White

OPTIONS







CONTINUUM[™] SINGLE ROW





WHELEN

ENGINEERING COMPANY, INC.

51 Winthrop Road, Chester, CT 06412-0684 860-526-9504 www.whelen.com

Whelen Engineering reserves the right to upgrade and improve products without notice.

NASCAR® is the registered trademark of the National Association for Stock Car Auto Racing, Inc. © 2015 Whelen Engineering Company, Inc. Printed in the U.S.A. Form No. 12935A - 06/15

ISO 9001:2008 Registered QMS

WhelenMTRS



WhelenENG







Designed to deliver maximum light intensity and long LED life, Continuum™ brings Whelen's advanced Super-LED® technology to off-road applications. Solid-state electronics and hard-coated lenses withstand harsh environments while interchangeable modules and advanced optics give your vehicle the reliable performance and durability Whelen is known for.

FEATURES

- Spot or Flood optic LED modules
- Clear or Smoked lenses
- Hard-coated lenses will not degrade with UV exposure
- IP67 rated for dust and water resistance
- Black powder coated extruded aluminum housing protects the lightbar from environmental damage
- Universal "L" bracket mount standard, other mounting options available
- Easily serviceable front-load design
- Plug & Play waterproof wiring harness with waterproof relay and switch included
- Five year HDP® Heavy-Duty Professional warranty


Length	Height	Depth	Weight	VDC	LED*	Raw Lumens*	Amps*
11.55" (294mm), 21.80" (554mm),			3.70lbs, 6.60lbs,				
32.05" (814mm), 42.30"	3.40"	3.04"	9.50lbs, 12.45lbs,	12	18	5000	5.0
(1074mm), 52.55" (1335mm)			15.25lbs				

*Per Module










*Actual Inches (Actual Millimeters)





Continuum™ 10"				
C1S Spot				
C1F Flood				
C1SX Spot, Smoked Lens				
C1FX Flood, Smoked Lens				

Continuum	Continuum 20"	
C2SS	Spot/Spot	
C2FF	Flood/Flood	
C2SF	Spot/Flood	
C2FS	Flood/Spot	
C2SSX	Spot/Spot, Smoked Lenses	
C2FFX	Flood/Flood, Smoked Lenses	
C2SFX	Spot/Flood, Smoked Lenses	
C2FSX	Flood/Spot, Smoked Lenses	

Continuum 30"	
Spot/Spot/Spot	
Flood/Flood	
Spot/Flood/Spot	
Flood/Spot/Flood	
Spot/Spot/Spot, Smoked Lenses	
Flood/Flood, Smoked Lenses	
Spot/Flood/Spot, Smoked Lenses	
Flood/Spot/Flood, Smoked Lenses	

C5SFSFS	Spot/Flood/Spot/Floo
C5FFSFF	Flood/Flood/Spot/Flo
C5FSFSF	Flood/Spot/Flood/Sp
C5FSSSF	Flood/Spot/Spot/Spot
C5SSSSX	Spot/Spot/Spot/Spot
C5FFFFFX	Flood/Flood/Flood/Fl
C5SSFSSX	Spot/Spot/Flood/Spo
C5SFFFSX	Spot/Flood/Flood/Flo
C5SESESX	Snot/Flood/Snot/Floo

Continuum 40"	
C4SSSS	Spot/Spot/Spot/Spot
C4FFFF	Flood/Flood/Flood
C4SFFS	Spot/Flood/Spot
C4FSSF	Flood/Spot/Spot/Flood
C4SSSSX	Spot/Spot/Spot/Spot, Smoked Lenses
C4FFFFX	Flood/Flood/Flood, Smoked Lenses
C4SFFSX	Spot/Flood/Flood/Spot, Smoked Lenses
C4FSSFX	Flood/Spot/Spot/Flood, Smoked Lenses

Continuum 50"	
C5SSSSS	Spot/Spot/Spot/Spot
C5FFFFF	Flood/Flood/Flood/Flood
C5SSFSS	Spot/Spot/Flood/Spot/Spot
C5SFFFS	Spot/Flood/Flood/Spot
C5SFSFS	Spot/Flood/Spot/Flood/Spot
C5FFSFF	Flood/Flood/Spot/Flood/Flood
C5FSFSF	Flood/Spot/Flood/Spot/Flood
C5FSSSF	Flood/Spot/Spot/Flood
C5SSSSX	Spot/Spot/Spot/Spot, Smoked Lenses
C5FFFFFX	Flood/Flood/Flood/Flood, Smoked Lenses
C5SSFSSX	Spot/Spot/Flood/Spot/Spot, Smoked Lenses
C5SFFFSX	Spot/Flood/Flood/Flood/Spot, Smoked Lenses
C5SFSFSX	Spot/Flood/Spot/Flood/Spot, Smoked Lenses
C5FFSFFX	Flood/Flood/Spot/Flood/Flood, Smoked Lenses
C5FSFSFX	Flood/Spot/Flood/Spot/Flood, Smoked Lenses
C5FSSSFX	Flood/Spot/Spot/Flood, Smoked Lenses

MODELS





Generic Mo	unts
BKT47097	Universal L Bracket Mtg. Kit - Dual Row
BKT47379	Pipe Mount - 3-1/4"
BKT47378	Pipe Mount - 3"
BKT47377	Pipe Mount - 2-7/8"
BKT47376	Pipe Mount - 2-3/4"
BKT47375	Pipe Mount - 2-5/8"
BKT47374	Pipe Mount - 2-1/2"
BKT47373	Pipe Mount - 2-3/8"
BKT47372	Pipe Mount - 2-1/4"
BKT47371	Pipe Mount - 2"
BKT47370	Pipe Mount - 1-7/8"
BKT47316	Pipe Mount - 1-3/4"
BKT47369	Pipe Mount - 1-45/64"
BKT47368	Pipe Mount - 1-5/8"
BKT47318	Pipe Mount - 1-1/2"
BKT47367	Pipe Mount - 1-1/4"
BKT47366	Pipe Mount - 1-1/8"
BKT47365	Pipe Mount - 1"
BKT47364	Pipe Mount - 7/8"

Vehicle Spe	Specific Mounts	
BKT47468	Dodge Ram, 2012-2015 Lower Grill Mount, 20" DR & SR Continuum	
BKT6G466	Ford F-150, 2015 Lower Grill Mount, 10" DR & SR Continuum	
BKT6F789	Ford Super Duty, 2009-2014 Lower Grill Mount, 20" DR & SR Continuum	
BKT47585	Toyota Tacoma, 2015 Lower Grill Mount, 30" DR & SR Continuum	
BKT47521	Ford Super Duty, 2015 Bumper Mount, 40" DR & (2X) SR Continuum	
BKT47264	Jeep JK Hood Mount 10" DR & SR Continuum	
BKT47265	Jeep JK Hood Mount 20" DR & SR Continuum	
BKT87784	Jeep JK Brow Mount 50" DR & SR Continuum	
BKT87785	Jeep TJ Brow Mount 50" DR & SR Continuum	

Parts & Acc	essories
WKDR10	Wiring Kit - Dual Row, 10"
WKDR20	Wiring Kit - Dual Row, 20"
WKDR30	Wiring Kit - Dual Row, 30"
WKDR40	Wiring Kit - Dual Row, 40"
WKDR50	Wiring Kit - Dual Row, 50"
DRS	Dual Row LED 10" Module, Spot, Clear Lens
DRSX	Dual Row LED 10" Module, Spot, Smoked Lens
DRF	Dual Row LED 10" Module, Flood, Clear Lens
DRFX	Dual Row LED 10" Module, Flood, Smoked Lens
DRAS	Dual Row LED 10" Amber Module, Spot, Clear Lens
DRASX	Dual Row LED 10" Amber Module, Spot, Smoked Lens
DRAF	Dual Row LED 10" Amber Module, Flood, Clear Lens
DRAFX	Dual Row LED 10" Amber Module, Flood, Smoked Lens
LCDRA	Cover - Dual Row, Amber
LCDRC	Cover - Dual Row, Clear
LCDRR	Cover - Dual Row, Red
LCDRK	Cover - Dual Row, Black
LCDRW	Cover - Dual Row, White

OPTIONS









